

Why sensitivity analysis (or: How not to do a sensitivity analysis)

Andrea Saltelli

Department of Electrical Engineering and Information
Technology – MS Data Science, University Federico II
Naples, 📅 19/05/25 🕒 18:00

Why Sensitivity Analysis
(or: How not to do a sensitivity analysis)

Where to find this talk: www.andreasaltelli.eu



HOME ABOUT ME PUBLICATIONS NEWS & VIDEOS RESOURCES

Latest papers



Ranking the Rankers

Ranking the Rankers? We investigate using global sensitivity analysis the properties of the science-wide author databases' standardised citation indicators produced since 2015 by a team of researchers led by John P. A. Ioannidis.

Digital twins

We reflect on the development of digital twins of the Earth, which we associate with a reductionist view of nature as a machine. We contest the utility of digital twins for addressing climate change issues and discuss societal risks associated with the concept, including the twins' potential to reinforce economicism and governance by numbers, emphasizing concerns about democratic accountability...



Mastodon Toots by


@AndreaSaltelli



AndreaSaltelli

2025/2/11 12:51

Last week: Ethics of quantification - Seminar at LAMSADE, Université Paris Dauphine, organised by Meltem ÖZTÜRK ESCOFFIER, February 5, 2025. See slides: andreasaltelli.eu/file/reposit



View on mstdn.social

Sensitivity analysis: the study of the relative importance of different input factors on the model output

“Sensitivity analysis (SA) is the study of how the uncertainty in the output of a model (numerical or otherwise) can be apportioned to different sources of uncertainty in the model input”



Sensitivity Analysis for Importance Assessment


Andrea Saltelli 

First published: 22 July 2002 | <https://doi.org/10.1111/0272-4332.00040> | Citations: 896



N
J
F





But the real strength of the models, in my mind at least, were in sensitivity analysis (where one could examine the response of the model to parameters or structures that were not known with precision (i.e., sensitivity analysis), and in the examination of the behavior of the model components relative to that of the real system in question (i.e., validation).

Hall, C. A. S. (2020). Systems Ecology and Limits to Growth: History, Models, and Present Status. In G. S. Metcalf, K. Kijima, & H. Deguchi, eds., *Handbook of Systems Sciences*, Singapore: Springer, , pp. 1–38.





... By undertaking sensitivity analysis and validation, a great deal can be learned about the real system, including what you do not know. (Hall, 2020)

Hall, C. A. S. (2020). Systems Ecology and Limits to Growth: History, Models, and Present Status. In G. S. Metcalf, K. Kijima, & H. Deguchi, eds., *Handbook of Systems Sciences*, Singapore: Springer, , pp. 1–38.

Linear programming and sensitivity analysis

Linear programming viewpoint: testing which parameter, when changed in isolation, lead to a change in the optimal solution


Global SA viewpoints: explore the distribution of the optimal solution when all uncertain coefficients are allowed to vary over their plausible range



We should not be surprised that the sensitivity analysis practiced in linear programming is linear



Much can be lost by neglecting that part of the uncertainty that escapes linearity

The advantages of understating global methods for uncertainty and sensitivity analysis are large, including the possibility to test to flexibility of managerial decision when ‘all the rest’ is varying as well




Modelling is a craft more than a science

Modelling as a craft rather than as a science for Robert Rosen



R. Rosen, *Life Itself: A Comprehensive Inquiry Into the Nature, Origin, and Fabrication of Life*. Columbia University Press, 1991.

Louie, A.H. 2010. "Robert Rosen's Anticipatory Systems." Edited by Riel Miller. *Foresight* 12 (3): 18–29. <https://doi.org/10.1108/14636681011049848>.



What is a model ?



Robert Rosen
(1934–1998)


“models are most useful when they are used to challenge existing formulations, rather than to validate or verify them”



Naomi Oreskes


N. Oreskes, K. Shrader-Frechette, and K. Belitz, “Verification, Validation, and Confirmation of Numerical Models in the Earth Sciences,” *Science*, 263, no. 5147, 1994.

Models are not physical laws




Oreskes, N., 2000, Why predict? Historical perspectives on prediction in Earth Science, in Prediction, Science, Decision Making and the future of Nature, Sarewitz et al., Eds., Island Press, Washington DC

“[...] to be of value in theory testing, the predictions involved must be capable of refuting the theory that generated them”
(N. Oreskes)



“When a model generates a prediction, of what precisely is the prediction a test? The laws? The input data? The conceptualization?”




Any part (or several parts) of the model might be in error, and there is no simple way to determine which one it is”

Models have little memory

“[...] The process of constructing and validating [value-at risk] models is time consuming and detail oriented; normally even the people who produced the model will not remember many of the assumptions incorporated into it, short of redoing their work, which means that the client cannot simply ask then what went into it.”

E. Millgram The Great Endarkenment, p. 29



Caeteris are never paribus

Ceteris paribus or caeteris paribus (Latin) = "all other things being equal" or "other things held constant" or "all else unchanged"

The case of DSGE, dynamic stochastic general equilibrium models

Rational expectations of agents
Efficient market hypothesis

Philip Mirowski



Philip Mirowski, 2013, Never let a serious crisis go wasted, Verso Books.

The US senate and Queen Elisabeth perplexed...



Philip Mirowski, 2013, Never let a serious crisis go wasted, Verso Books.


Don't confuse the map with the territory

If you do, sensitivity analysis will not save you




<<It is important, however, to recognize that the sensitivity of the parameter in the equation is what is being determined, not the sensitivity of the parameter in nature>>

Orrin H. Pilkey




Useless Arithmetic: Why Environmental Scientists Can't Predict the Future
by Orrin H. Pilkey and Linda Pilkey-Jarvis, Columbia University Press, 2009.




<<...If the model is wrong or if it is a poor representation of reality, determining the sensitivity of an individual parameter in the model is a meaningless pursuit>>

One of the examples discussed concerns the **Yucca Mountain** repository for radioactive waste. TSPA model (for total system performance assessment) for safety analysis.



TSPA is Composed of 286 sub-models.





TSPA (like any other model) **relies on assumptions** → one is the low permeability of the geological formation → long time for the water to percolate from surface to disposal






The confidence of the stakeholders in TSPA was not helped when evidence was produced which could lead to an upward revision of 4 orders of magnitude of this parameter (the ^{36}Cl story)

In the case of TSPA (Yucca mountain) a range of 0.02 to 1 millimetre per year was used for percolation of flux rate.

→... SA useless if it is instead ~ 3,000 millimetres per year.






“Scientific mathematical modelling should involve constant efforts to falsify the model”

➔ Organized skepticism (as per CUDOS)

Communalism, Universalism, Disinterestedness, Organized Skepticism, from sociology of science, Robert K. Merton.

Beware the size of your model

Mind the conjecture of O'Neil



Conjecture by O'Neill, also known as Zadeh's principle of incompatibility, whereby as complexity increases "precision and significance (or relevance) become almost mutually exclusive characteristics"

In M. G. Turner and R. H. Gardner, "Introduction to Models" in *Landscape Ecology in Theory and Practice*, New York, NY: Springer New York, 2015, pp. 63–95.

L. Zadeh, "Outline of a New Approach to the Analysis of Complex Systems and Decision Processes," *IEEE Trans. Syst. Man. Cybern.*, vol. 3, no. 1, pp. 28–44, 1973.

Puy, Arnald, Pierfrancesco Beneventano, Simon A. Levin, Samuele Lo Piano, Tommaso Portaluri, and Andrea Saltelli. 2022. "Models with Higher Effective Dimensions Tend to Produce More Uncertain Estimates." *Science Advances* 8 (eabn9450).

The conjecture of O'Neill (1971): too simple a model may miss important features of the system, and thus lead to systematic error, while a too complex one – high number of estimated parameters, may lead to a greater imprecision due the error propagation.

nature communications

Comment | [Open access](#) | Published: 27 August 2019

A short comment on statistical versus mathematical modelling

[Andrea Saltelli](#)

Nature Communications **10**, Article number: 3870 (2019) | [Cite this article](#)

ScienceAdvances

[Current Issue](#) [First release papers](#) [Archive](#) [About](#)


HOME > SCIENCE ADVANCES > VOL. 8, NO. 42 > MODELS WITH HIGHER EFFECTIVE DIMENSIONS TEND TO PRODUCE MORE UNCERTAIN ESTIMATES

RESEARCH ARTICLE | MATHEMATICS



Models with higher effective dimensions tend to produce more uncertain estimates

ARNALD PUY, PIERFRANCESCO BENEVENTANO, SIMON A. LEVIN, SAMUELE LO PIANO, TOMMASO PORTALURI, AND ANDREA SALTIELLI [Authors Info &](#)



Simple principles of responsible modelling

Mind the assumptions

Assess uncertainty and sensitivity

Mind the hubris

Complexity can be the enemy of relevance

Mind the framing


Match purpose and context

Mind the consequences

Quantification can backfire.

Mind the unknowns

Acknowledge ignorance




Source: A. Saltelli, G. Bammer, I. Bruno, et al., Five ways to ensure that models serve society: a manifesto, Nature 582 (2020) 482–484.

Mind the assumptions

Assess uncertainty and sensitivity




... models require input values for which there is no reliable information...



Source: A. Saltelli, G. Bammer, I. Bruno, et al., Five ways to ensure that models serve society: a manifesto, *Nature* 582 (2020) 482–484.

Models ask as input information which we don't have –
The case of WEBTAG



John Kay

WebTAG: Annual Percentage Change in Car Occupancy (% pa) up to 2036

Journey Purpose	Weekday					Weekend	All Week
	7am-10am	10am-4pm	4pm-7pm	7pm-7am	Weekday Average		
Work	-0.48	-0.4	-0.62	-0.5	-0.44	-0.48	-0.45
Non - Work (commuting and other)	-0.67	-0.65	-0.53	-0.47	-0.59	-0.52	-0.56

Source: J. A. Kay, “Knowing when we don’t know,” 2012,
https://www.ifs.org.uk/docs/john_kay_feb2012.pdf

Mind the assumptions

Assess uncertainty and sensitivity

Mind the hubris

Complexity can be the enemy of relevance

Mind the framing

Match purpose and context




Mind the consequences

Quantification can backfire.

Mind the unknowns

Acknowledge ignorance



Source: A. Saltelli, G. Bammer, I. Bruno, et al., Five ways to ensure that models serve society: a manifesto, Nature 582 (2020) 482–484.

Mind the consequences


Quantification can backfire.

[« Back to Article](#)

WIRED MAGAZINE: 17.03

Recipe for Disaster: The Formula That Killed Wall Street

By Felix Salmon 02.23.09



$$\Pr[T_A < 1, T_B < 1] = \Phi_2(\Phi^{-1}(F_A(1)), \Phi^{-1}(F_B(1)), \gamma)$$


Here's what killed your 401(k) *David X. Li's Gaussian copula function as first published in 2000. Investors exploited it as a quick—and fatally flawed—way to assess risk. A shorter version appears on this month's cover of Wired.*

Here is what killed your 401(k)...

Li's Gaussian copula function ...

Nassim Nicholas Taleb, hedge fund manager and author of *The Black Swan*, is particularly harsh when it comes to the copula. "People got very excited about the Gaussian copula because of its mathematical elegance, but the thing never worked," he says. "Co-association between securities is not measurable using correlation," because past history can never prepare you for that one day when everything goes south. "Anything that relies on correlation is charlatanism."

Felix Salmon, Wired, February 2009



Source: <https://www.wired.com/2009/02/wp-quant/>

Mind the assumptions

Assess uncertainty and sensitivity

Mind the hubris

Complexity can be the enemy of relevance

Mind the framing

Match purpose and context


Mind the consequences

Quantification can backfire.



Mind the unknowns


Acknowledge ignorance



Source: A. Saltelli, G. Bammer, I. Bruno, et al., Five ways to ensure that models serve society: a manifesto, Nature 582 (2020) 482–484.

Mind the unknowns

Acknowledge ignorance



Source: A. Saltelli, G. Bammer, I. Bruno, et al., Five ways to ensure that models serve society: a manifesto, Nature 582 (2020) 482–484.

From Socrates's “knowing of not knowing” to Nicolaus Cusanus’ Docta Ignorantia, ignorance was a virtue until Descartes

Sociology of models

2025



Environmental Modelling & Software

Volume 188, April 2025, 106430



EnviroFutures Invited Opinion

Models and the common good ☆

Andrea Saltelli ✉

Show more ▾

+ Add to Mendeley Share Cite

<https://doi.org/10.1016/j.envsoft.2025.106430> ➤

Get rights and content ➤

2023



2024



Browse

Search ▾

Publish ▾

Home ▶ All Journals ▶ International Review of Applied Economics ▶ List of Issues ▶ Latest Articles ▶ Mathematical models: a state of exception ...

Enter keywords, authors



International Review of Applied Economics ▶
Latest Articles

Submit an article

journal homepage

904

Views

0

Crossref
citations to date

2

Altmetric



Research Article

Mathematical models: a state of exception

Andrea Saltelli ✉, Arnald Puy 🌱 & Monica Di Fiore 🌱

Received 09 Jan 2024, Accepted 07 May 2024, Published online 11 Jun 2024

🔗 Cite this article 🔗 <https://doi.org/10.1080/026952171.2024.2365727>

Full Article

Figures & data

References

Citations

Metrics

Licensing


Reprints & Permissions

A. Saltelli, M. Ratto,
T. Andres, F. Campolongo,
J. Cariboni, D. Gatelli,
M. Saisana, S. Tarantola


GLOBAL SENSITIVITY ANALYSIS

The Primer

 WILEY



Uncertainty analysis:
the study of the
uncertainty in model
output—see also
uncertainty cascade



Source: <https://www.climate-lab-book.ac.uk/2014/cascade-of-uncertainty/>

Sensitivity analysis: the study of the relative importance of different input factors on the model output

Sensitivity analysis can:

- surprise the analyst,
- uncover technical errors in the model,
- identify critical regions in the space of the inputs,




Source: The Simpson, 20th Television Animation
(The Walt Disney Company)

Sensitivity analysis can :

- surprise the analyst,
- uncover technical errors in the model,
- identify critical regions in the space of the inputs,
- establish priorities for research,
- simplify models
- falsify models (show that a model is false or irrelevant)
- defend against your own model being falsified

Sensitivity analysis can:

verify whether policy options (or marketing strategies) can be distinguished from one another given the uncertainties in the system, ...



What method would one choose to perform sensitivity analysis?



Source: iStock by Getty images

What method would one choose to perform sensitivity analysis?

Most of the sensitivity analysis found in the literature are local or otherwise OAT (One factor At a Time)

$$y = f(x_1, x_2, \dots x_k)$$

$$\left. \frac{\partial y}{\partial x_i} \right|_{x_i=x_i^0} \longleftarrow \text{Local}$$

What method would one choose to perform sensitivity analysis?

Most of the sensitivity analysis found in the literature are local or otherwise OAT (One factor At a Time)

$$y = f(x_1, x_2, \dots x_k)$$

$$\frac{x_i^0}{y^0} \frac{\partial y}{\partial x_i} \bigg|_{x_i=x_i^0} \longleftarrow \text{Local}$$

What method would one choose to perform sensitivity analysis?

Most of the sensitivity analysis found in the literature are local or otherwise OAT (One factor At a Time)

$$y = f(x_1, x_2, \dots x_k)$$

$$\frac{std(x_i)}{std(y)} \frac{\partial y}{\partial x_i} \bigg|_{x_i=x_i^0} \longleftarrow \text{Hybrid}$$

$$\left. \frac{\partial y}{\partial x_i} \right|_{x_i=x_i^0}$$



Relative effect on y of perturbing x_i around its nominal value

$$\left. \frac{x_i^0}{y^0} \frac{\partial y}{\partial x_i} \right|_{x_i=x_i^0}$$




Relative effect on y of perturbing x_i by a fixed fraction of its nominal value



$$\left. \frac{std(x_i)}{std(y)} \frac{\partial y}{\partial x_i} \right|_{x_i=x_i^0}$$



Relative effect on y of perturbing x_i by a fixed fraction of its standard deviation




An introduction to variance based methods



Plotting the output as a function of two different input factors


Which factor is more important?




~1,000 blue points


Divide them
in 20 bins of
~ 50 points

Compute the
bin's average
(pink dots)






Each pink point is $\sim E_{\mathbf{x}_{\sim i}}(Y|X_i)$




Taking the variance
of the pink points one
obtains a sensitivity
measure

$$V_{X_i} \left(E_{\mathbf{X}_{\sim i}} (Y | X_i) \right)$$



Which factor
has the highest
 $V_{X_i} \left(E_{\mathbf{X}_{\sim i}} (Y | X_i) \right) ?$



$$S_i = \frac{V_{X_i} \left(E_{\mathbf{X}_{\sim i}} (Y | X_i) \right)}{V(Y)}$$

The partial variance divided by the total variance is the so-called sensitivity index of the first order


For additive models one can decompose the total variance as a sum of those partial variances

$$\sum_i V_{X_i} \left(E_{\mathbf{X}_{\sim i}} (Y | X_i) \right) \approx V(Y)$$

... which is also how additive models are defined

$$S_i = \frac{V_{X_i} \left(E_{\mathbf{x}_{\sim i}} (Y | X_i) \right)}{V(Y)}$$

The partial variance divided by the total variance is the so-called sensitivity index of the first order, identical in formulation to Pearson's correlation ratio



Smoothed curve:

$$\mathbf{E}_{\mathbf{x} \sim i} (y \mid x_i)$$

First order
sensitivity index:

$$\frac{V_{x_i} (\mathbf{E}_{\mathbf{x} \sim i} (y \mid x_i))}{V(y)}$$

Pearson's correlation
ratio

Smoothed curve


$$S_i \equiv \eta_i^2 := \frac{V_{x_i} (\mathbf{E}_{\mathbf{x}_{\sim i}} (y \mid x_i))}{V(y)}$$

First order sensitivity index


Unconditional
variance

Non additive models

Is $S_i = 0$?



Is this factor non-important?



There are terms which capture
two-way, three way, \cdots interactions
among variables

All these terms are linked by a
formula

Variance decomposition (ANOVA)

$$V(Y) =$$

$$\sum_i V_i + \sum_{i,j>i} V_{ij} + \dots + V_{123\dots k}$$

Variance decomposition (ANOVA)

The total variance can be decomposed into main effects and interaction effects up to the order k , the dimensionality of the problem (only for independent factors)

If fact interactions terms are awkward to handle: **just the second** order terms for a model with k factors are as many as $k(k-1)/2 \dots$

(10 factors=45 second order terms)

How about a single ‘importance’ terms for all effects?

In fact such terms exist and can be computed easily, without knowledge of the individual interaction terms

Thus given a 3-factor model $f(X_1, X_2, X_3)$

Where the variance decomposition would

read $1 = S_1 + S_2 + S_3 + S_{12} + S_{13} + S_{23} + S_{123}$

We compute

$$T_1 = S_1 + S_{12} + S_{13} + S_{123}$$

$$T_2 = S_2 + S_{12} + S_{23} + S_{123}$$

$$T_3 = S_3 + S_{13} + S_{23} + S_{123}$$

The measures and their ‘settings’ = when to use them



Journal of the American Statistical Association >

Volume 97, 2002 - Issue 459

Enter keywords, authors, DOI, C

[Submit an article](#)

[Journal homepage](#)

979

Views

286

CrossRef citations
to date

6

Altmetric

Primary Article

On the Relative Importance of Input Factors in Mathematical Models

Safety Assessment for Nuclear Waste Disposal

Andrea Saltelli & Stefano Tarantola

Pages 702-709 | Published online: 31 Dec 2011

[Download citation](#)

<https://doi.org/10.1198/016214502388618447>

The measures and their ‘settings’
= when to use them

First order effect	Factor prioritization (orienting research)
Total effect	Factor fixing (model simplification)



Making best use of model evaluations to compute sensitivity indices

Andrea Saltelli  

Computing the
indices
efficiently

Higher order Sobol' indices

Get access >

Art B. Owen , Josef Dick, Su Chen

Information and Inference: A Journal of the IMA, Volume 3, Issue 1, March 2014, Pages 59–81, <https://doi.org/10.1093/imaiai/iau001>

Published: 01 March 2014 **Article history** ▼

Plenty of code available in R, MATLAB, and Python



<https://cran.r-project.org/web/packages/sensitivity/sensitivity.pdf>

<https://cran.rstudio.com/web/packages/sensobol/index.html>



<https://www.uqlab.com/> (in MatLab, by Bruno Sudret and his team)



SALib <https://salib.readthedocs.io/en/latest/>

...but there is more, in
R, Python, Julia ...


Advantages with variance based methods:

- graphic interpretation scatterplots
- statistical interpretation (ANOVA)
- expressed plain English
- working with sets
- relation to settings such as factor fixing and factor prioritization
- give the effective dimension



Chapter 1 and its
exercises

... but there are other methods that can be used for different settings, e.g. moment independent methods, Shapley coefficients, reduced spaces, VARS ...



Environmental Modelling & Software

Volume 34, June 2012, Pages 105-115



Model emulation and moment-independent sensitivity analysis: An application to environmental modelling

E. Borgonovo ^a, W. Castaings ^{b, c}, S. Tarantola ^d

Don't use One factor At a
Time (OAT)

A geometric proof



Contents lists available at ScienceDirect

Environmental Modelling & Software

journal homepage: www.elsevier.com/locate/envsoft




How to avoid a **perfunctory** sensitivity analysis

Andrea Saltelli*, Paola Annoni

Joint Research Center, Institute for the Protection and Security of the Citizen, via E.Fermi, 2749, Ispra VA 21027, Italy


OAT in 2 dimensions



Area circle
/ area
square =?

$\sim 3/4$

OAT in 3 dimensions




Volume sphere /
volume cube =?

$\sim 1/2$

OAT in 10 dimensions; Volume
hypersphere / volume ten dimensional
hypercube =? ~ 0.0025



OAT in k dimensions



OAT does not capture interactions



➔ The resulting analysis is non conservative

How would you test the scaffolding?

How coupled ladders are shaken in most of available literature




How to shake coupled ladders



Quasi random sequences



Ilya M. Sobol'







[Submitted on 10 May 2015]

Exploring multi-dimensional spaces: a Comparison of Latin Hypercube and Quasi Monte Carlo Sampling Techniques

Sergei Kucherenko, Daniel Albrecht, Andrea Saltelli

Sobol' LP-TAU
are used in high
frequency trading





Root mean square error with different designs

Don't run the model just once

There is much to learn by running the model a few times, especially during model building


Lubarsky's Law of Cybernetic Entomology:
there is always one more bug!



Model routinely used to produce point estimates may becomes non conservative when the uncertainty is plugged in

Current Models Underestimate Future Irrigated Areas

- How much land will need to be irrigated by the year 2050?
- Here the dashed lines represent deterministic model predictions from different models and datasets (from FAO & others organizations);
- An uncertainty analysis (grey histogram) reveals that the models are non-conservative: the need might be much larger



Citation:

Puy, A., Lo Piano, S., & Saltelli, A. (2020). Current models underestimate future irrigated areas. *Geophysical Research Letters*, 47, e2020GL087360. <https://doi.org/10.1029/2020GL087360>

Don't sample just parameters and
boundary conditions




Explore thoroughly the space of the
assumptions

One can sample more than just factors:

- modelling assumptions,
- alternative data sets,
- resolution levels,
- scenarios ...

Assumption	Alternatives
Number of indicators	<ul style="list-style-type: none">▪ all six indicators included or one-at-time excluded (6 options)
Weighting method	<ul style="list-style-type: none">▪ original set of weights,▪ factor analysis,▪ equal weighting,▪ data envelopment analysis
Aggregation rule	<ul style="list-style-type: none">▪ additive,▪ multiplicative,▪ Borda multi-criterion

Space of alternatives




Building a Monte Carlo analysis

$$\begin{array}{ccc} x_{11} & x_{12} \dots & x_{1k} \\ x_{21} & x_{22} \dots & x_{2k} \\ \dots & \dots & \dots \\ x_{N1} & x_{N2} & x_{Nk1} \end{array}$$

Input matrix: each column is a sample of size N from the distribution of a factor

Each row is a sample trial of size k to generate a value of y



Examples of distributions of input factors

NEVER vary all factors of the same amount

Be it 5%, 10%, or 20%



New WHO estimates: Up to 190 000 people could die of COVID-19 in Africa if not controlled

07 May 2020

Brazzaville – Eighty-three thousand to 190 000 people in Africa could die of COVID-19 and 29 million to 44 million could get infected in the first year of the pandemic if containment measures fail, a new study by the World Health Organization (WHO) Regional Office for Africa finds. The research, which is based on prediction modelling, looks at 47 countries in the




Speculative scenario in which ten uncertain input probabilities are increased by an arbitrary 10% — as if they were truly equally uncertain — with no theoretical or empirical basis for such a choice



In a numerical experiment relating to a real-life application the range of uncertainty of each input is crucial input to the analysis, and often the most expensive to get

The multiverse

The universe of
uncertainty that didn't
hide: reaching out to
multiverse analysis



MetaArXiv Preprints

My Preprints Add a preprint Donate Sign Up Sign In

Leamer reloaded: a long-neglected suggestion is rediscovered to apply global sensitivity analysis to a quantification before publishing it

AUTHORS
Andrea Saltelli, Alessio Lachi, Arnald Puy, and Nate Breznau


AUTHOR ASSERTIONS

CONFLICT OF INTEREST	No ▼	PUBLIC DATA	No ▼	PREREGISTRATION	Not applicable ▼
----------------------	------	-------------	------	-----------------	------------------

Models are fragile

“... inferences from mathematical models of phenomena to real physical applications must also be demonstrated to be approximately correct when the assumptions of the model are only approximately true” [1]

Pierre Duhem (1861–1916)
and his ‘Principle of
stability’




[1] S. C. Fletcher, ‘The Principle of Stability’, *Philosopher’s Imprint*, vol. 20, no. 3, 2020, Accessed: Sep. 08, 2024. [Online].

Models are fragile

Duhem's principle of stability [1], and the occurrence of either Butterfly [2] or Hawkmoth effects [3].

The accumulation of parametric error in a model, the so-called uncertainty cascade [4], that is the subject of global sensitivity analysis studies.

- [1] S. C. Fletcher, 'The Principle of Stability', *Philosopher's Imprint*, vol. 20, no. 3, 2020, Accessed: Sep. 08, 2024. [Online].
- [2] H. G. Schuster, *Deterministic Chaos: An Introduction*, 2nd Rev edition. Weinheim: Vch Pub, 1998.
- [3] E. Winsberg, 'Appendix: Structural Stability and the "Hawkmoth Effect"', in *Philosophy and Climate Science*, Cambridge: Cambridge University Press, 2018, pp. 232–246. doi: 10.1017/9781108164290.016.
- [4] M. Christie, A. Cliffe, P. Dawid, and S. S. Senn, *Simplicity, Complexity and Modelling*. Wiley, 2011.




“I have proposed a form of **organised sensitivity analysis** that I call **‘global sensitivity analysis’** in which a neighborhood of alternative assumptions is selected and the corresponding interval of inferences is identified.

Conclusions are judged to be sturdy only if the neighborhood of assumptions is wide enough to be credible and the corresponding interval of inferences is narrow enough to be useful.”

Edward E. Leamer, 1990, Let's Take the Con Out of Econometrics, *American Economics Review*, **73** (March 1983), 31-43.




Fishing expeditions and forking paths ...





Jorge Luis Borges
(1899–1986)



Taking different
narratives within the
same novel like Ts'ui Pên



The garden of forking paths: Why multiple comparisons can be a problem, even when there is no “fishing expedition” or “p-hacking” and the research hypothesis was posited ahead of time*

Andrew Gelman[†] and Eric Loken[‡]

14 Nov 2013

The garden of forking paths: Why multiple comparisons can be a problem, even when there is no “fishing expedition” or “p-hacking” and the research hypothesis was posited ahead of time*

Andrew Gelman[†] and Eric Loken[‡]

14 Nov 2013

Can global SA help?



PNAS

RESEARCH ARTICLE

SOCIAL SCIENCES

 OPEN ACCESS

Observing many researchers using the same data and hypothesis reveals a hidden universe of uncertainty

Many multi-analyst studies ongoing, e.g.:

“Are soccer players with dark skin tone more likely to receive red cards from referees?”, Silberzahn et al. 2018

“Is there an impact of compulsory schooling on teenage pregnancy rates?”, Huntington-Klein et al. (2021)



Source: BBC <https://www.bbc.com/sport/football/68435064>

“There are at least twenty multi-analyst experiments brewing”

… some large! 343 authors of Menkveld et al. (2024)”

HUNTINGTON-KLEIN, N., ARENAS, A., BEAM, E., BERTONI, M., BLOEM, J. R., BURLI, P., CHEN, N., GRIECO, P., EKPE, G., PUGATCH, T. et al. (2021). The influence of hidden researcher decisions in applied microeconomics. *Economic Inquiry* 59 944–960.

MENKVELD, A. J., (2024). Nonstandard Errors. *The Journal of Finance* 79 2339–2390. <https://doi.org/10.1111/jofi.13337>.

SILBERZAHN, R., UHLMANN, E. L., MARTIN, D. P., ANSELMINI, P., AUST, F., AWTREY, E., BAHNÍK, Š., BAI, F., BANNARD, C., BONNIER, E. et al. (2018). Many analysts, one data set: Making transparent how variations in analytic choices affect results. *Advances in Methods and Practices in Psychological Science* 1, 337–356.

We take this →

PNAS

RESEARCH ARTICLE

SOCIAL SCIENCES

OPEN

Observing many researchers using the same data and hypothesis reveals a hidden universe of uncertainty



Source: Britannica <https://www.britannica.com/topic/human-migration>

The question to be answered was the effect of migration on public attitude toward social policies


Literature says: negative correlation but Brady and Finnegan (2014) test 3 hypotheses:

- ethnic and linguistic heterogeneity make class-based solidarity more difficult
- competition for jobs increases support for social policy (compensation hypothesis)
- the chauvinism hypothesis, no to policies that benefit immigrants

BRADY, D. and FINNIGAN, R. (2014). Does immigration undermine public support for social policy? American sociological review 79 17–42.

BREZNAU, N., RINKE, E. M., WUTTKE, et al. (2022). Observing many researchers using the same data and hypothesis reveals a hidden universe of uncertainty. Proceedings of the National Academy of Sciences 119 e2203150119.

ENGZELL, P. (2023). A universe of uncertainty hiding in plain sight. Proceedings of the National Academy of Sciences 120 e2218530120.



“Will different researchers [73 teams] converge on similar findings when analyzing the same data?”

“...teams’ results varied greatly, ranging from large negative to large positive effects”

“A universe of uncertainty hiding in plain sight” (Engzell, 2023)

In the original multi-analyst study the normative (political) orientation of the analysts was found not to explain the variance

The modelling variables were found to explain at most a few percent of the variance of the results ... where does the variance come from?






<https://www.istockphoto.com/>

k_i	Variable	Description
1	<i>age</i>	Inclusion or non-inclusion of the covariates age and square age of participants
2	<i>all – ethnic</i>	Inclusion or non-inclusion of a covariate that takes into account all ethnic categories
3	<i>bootstrap</i>	Inclusion or non-inclusion of the bootstrap procedure
4	<i>cont – europe</i>	Inclusion or non-inclusion of continental Europe countries in the analysis
5	<i>continent</i>	Inclusion or non-inclusion of different continents in the analysis
6	<i>education</i>	Inclusion or non-inclusion of the covariates level of education
7	<i>female</i>	Inclusion or non-inclusion of the covariates gender as self-reported by respondents in the survey
8	<i>GINI</i>	Inclusion or non-inclusion of the covariates related to the Gini indexes
9	<i>income</i>	Inclusion or non-inclusion of the covariate related to the income
10	<i>pop – wb</i>	Inclusion or non-inclusion of the covariate related to the information about country-specific numerosity of population
11	<i>rich – dems</i>	Inclusion or non-inclusion of rich democracies in the analysis
12	<i>SE</i>	Inclusion or non-inclusion of clustered standard error
13	<i>socx – oecd</i>	Inclusion or non-inclusion of the covariate related to social expenditure
14	<i>X1</i>	Inclusion or non-inclusion of the covariates related to the migration indexes
15	<i>Y</i>	Choice of policy dependent variable

Table 1. Descriptions of variables included in the analysis.


We simulate different paths using triggers
then we do a global sensitivity analysis





Uncertainty analysis reproduces the results of the multi-analyst experiment

Our sensitivity analysis explains where the missing variance went: **interactions**



Isn't 1999 figure from Stefano already a multiverse analysis?

More about
SA and related
topics

Scientists have built a 'digital twin' of Earth to predict the future of climate change



Digital twins

YOU CONTROL
CLIMATE CHANGE.



TURN DOWN. SWITCH OFF. RECYCLE. WALK. CHANGE

www.climatechange.eu.com

SPRINGER NATURE Link

[Find a journal](#) [Publish with us](#) [Track your research](#) [Search](#)

[Home](#) > [Minerva](#) > Article

Digital Twins of the Earth Between Vision and Fiction

[Open access](#) | Published: 09 April 2025

(2025) [Cite this article](#)

[Download PDF](#)

You have full access to this [open access](#) article



Minerva

[Aims and scope](#) →

[Submit manuscript](#) →

Andrea Saltelli [✉](#), Lieke A. Melsen & Arnald Puy

[912](#) Accesses [1](#) Citation [1](#) Altmetric [Explore all metrics](#) →

[Use our pre-submission checklist](#) →

Avoid common mistakes on your manuscript.

WIREs CLIMATE CHANGE

Perspective [Open Access](#) [CC](#) [i](#)

Bring digital twins back to Earth

Andrea Saltelli [✉](#), Gerd Gigerenzer, Mike Hulme, Konstantinos V. Katsikopoulos, Lieke A. Melsen, Glen P. Peters, Roger Pielke Jr, Simon Robertson, Andy Stirling, Massimo Tavoni, Arnald Puy

First published: 26 August 2024 | <https://doi.org/10.1002/wcc.915> | Citations: 3




RMets
Royal Meteorological Society
150th Anniversary

2024



Sensitivity analysis


Powering up



Models with higher effective dimensions tend to produce more uncertain estimates


ARNALDO POLI, PERFRANCESCO RENEVENTANO, SIMON A. LEVIN, SAMUELE LO PIANO, TOMMASO PORTALURI, AND ANDREA SALTIELLI Authors Info &

Affiliations




Source: World Nuclear Organization, <https://world-nuclear.org/information-library/nuclear-fuel-cycle/nuclear-waste/storage-and-disposal-of-radioactive-waste.aspx>

A typical nuclear waste disposal concept: the waste is separated from humans by a series of barriers



Propagating uncertainty across the barriers increases variability (CV=std/mean), effective dimension (k_t) and the importance of interactions (S_{ij} , S_{ijk})



The regulation should not set limits on doses to humans in the biosphere, as done e.g. in the US, since these are impossible to predict with any certainty

A more realistic and defensible safety standard could be set as a maximum level of radioactivity leaving the buffer

ScienceAdvances


HOME > SCIENCE ADVANCES > VOL. 8, NO. 42 > MODELS WITH HIGHER EFFECTIVE DIMENSIONS TEND TO PRODUCE MORE UNCERTAIN ESTIMATES

RESEARCH ARTICLE MATHEMATICS

Models with higher effective dimensions tend to produce more uncertain estimates

ARNALD POLI, PIERFRANCESCO RENEVENTANO, SIMON A. LEVIN, SAMUEL LO PIANO, TOMMASO PORTALIS, AND ANDREA SALTIELLI


[Authors info & affiliations](#)



Global sensitivity analysis can
chart the garden before you
enter ...



Andrea Saltelli, Arnald Puy, Alessio Lachi, and Nate Breznau,
2024, Global sensitivity analysis unveils the hidden universe of
uncertainty in multiverse studies, MetaArXiv Preprints,
<https://osf.io/preprints/metaarxiv/b67w9>.




Sensitivity analysis can assist sociology of quantification in activities of de- and re-construction (e.g. for statactivists)



Modelling of the modelling process, to

- ➔ retrace what was assumed
- ➔ check the level of complexity

...



...

→ check simultaneously technical and normative quality

Example use SA to ascertain that an algorithm does not make implicit use of protected attributes

More reading for the Machine Learning students

Vannucci, G., Siciliano, R., & Saltelli, A. (2024). Enhancing Variable Importance in Random Forests: A Novel Application of Global Sensitivity Analysis (arXiv:2407.14194). arXiv.
<http://arxiv.org/abs/2407.14194>.

Bénese, C., Gamboa, F., Loubes, J.-M., & Boissin, T. (2022). Fairness seen as Global Sensitivity Analysis. *Machine Learning*.
<https://doi.org/10.1007/s10994-022-06202-y>

PROTECTED ATTRIBUTES:

- Age
- Disability
- National Origin
- Race/color
- Religion
- Sex
- (From the US Equal Opportunity Employment Commission)

Sensitivity auditing : “Sensitivity auditing is a wider consideration of the effect of all types of uncertainty, including structural assumptions embedded in the model, and subjective decisions taken in the framing of the problem” (European Commission, 2021).



Better Regulation
TOOLBOX

November 2021

European Commission. November 2021. “Better Regulation: Guidelines and Toolbox.”

https://ec.europa.eu/info/law/law-making-process/planning-and-proposing-law/better-regulation-why-and-how/better-regulation-guidelines-and-toolbox_en

What do I make of your latinorum? Sensitivity auditing of mathematical modelling

Saltelli, A., Guimarães Pereira, Â., Van der Sluijs, J.P. and Funtowicz, S.



Article | [Open Access](#) | Published: 06 May 2023

What can mathematical modelling contribute to a sociology of quantification?

Andrea Saltelli  & Arnald Puy

Humanities and Social Sciences Communications **10**, Article number: 213 (2023) | [Cite this article](#)

448 Accesses | 4 Altmetric | [Metrics](#)

Technical Quality

Normative quality



Find a journal | Publish with us | Track your research |  Search

SPRINGER NATURE Link

Home > [Minerva](#) > Article

The Challenge of Quantification: An Interdisciplinary Reading

[Open access](#) | Published: 21 December 2022

Volume 81, pages 53–70, (2023) | [Cite this article](#)



Minerva

[Aims and scope](#) →


[Submit manuscript](#) →

[Download PDF](#) 

You have full access to this [open access](#) article


Monica Di Fiore , Marta Kuc-Czarnecka , Samuele Lo Piano , Arnald Puy & Andrea Saltelli 

[Use our pre-submission check](#)
Read full text at [minerva.springer.com](#)



Sensitivity auditing








Unpacking the modelling process via sensitivity auditing

Samuele Lo Piano ^a ✉, Razi Sheikholeslami ^b, Arnald Puy ^{c d e}, Andrea Saltelli ^f

Show more ▾

2022

SAUD/MOMP



Impact assessment culture in the European Union. Time for something new?

Andrea Saltelli ^{a b} ✉, Marta Kuc-Czarnecka ^c ✉, Samuele Lo Piano ^d ✉, Máté János Lőrincz ^d ✉, Magdalena Olczyk ^c ✉, Arnald Puy ^e ✉, Erik Reinert ^{f g} ✉, Stefán Thor Smith ^d ✉, Jeroen P. van der Sluijs ^{b h} ✉

2023

Find a journal Publish with us Track your research

Search

SPRINGER NATURE Link

Home > Statistical Methods & Applications > Article

Robustification of structural equation modelling via global sensitivity analysis

Original Paper | Published: 11 March 2025

(2025) Cite this article



Statistical Methods & Applications

2025

Download PDF

Access provided by Biblioteca de la Universitat Pompeu Fabra

Alessio Lachi ✉, Josep Llach, Jordi Perramon, Michela Baccini & Andrea Saltelli

Use our pre-submission checklist →

Risk Analysis

AN INTERNATIONAL JOURNAL

An Official Publication of the Society for Risk Analysis

PERSPECTIVE | Open Access



Unpacking the modeling process for energy policy making

Samuele Lo Piano ✉, Máté János Lőrincz, Arnald Puy, Steve Pye, Andrea Saltelli, Stefán Thor Smith, Jeroen van der Sluijs

First published: 14 November 2023 | <https://doi.org/10.1111/risa.14248>






Figures



Refer

2023





Sensitivity analysis
made easy or
“sensitivity analysis
for dummies”

Open access paper



Technometrics >

Latest Articles

[Submit an article](#)

[Journal homepage](#)

Enter keywords, authors, DOI, etc

870

Views

0

CrossRef
citations to date

2

Altmetric

Listen

Research Article

Discrepancy Measures for Global Sensitivity Analysis

Arnald Puy  , **Pamphile T. Roy**  & **Andrea Saltelli**

Received 27 Mar 2023, Accepted 08 Jan 2024, Published online: 13 Feb 2024

 Cite this article  <https://doi.org/10.1080/00401706.2024.2304341>



 [Full Article](#)

 [Figures & data](#)

 [References](#)

 [Supplemental](#)

 [Citations](#)

 [Metrics](#)

 [Licensing](#)


 [Reprints & Permissions](#)

 [View PDF](#)

 [View EPUB](#)

Related r


Do we need to compute indices?
Can we do without statistics and calculus using the
histograms we have met already?



‘Stupid’ histograms in the
 x_i, y plane, both in $[0,1]$, for different $y = f(x_i)$

Bigger
'holes'


Smaller
'holes'



=more
important

=less
important

Another way to bypass statistics and calculus



INFORMS Transactions on Education



Publication details, including instructions for authors and subscription information:

<http://pubsonline.informs.org>


Monte Carlo Enhancement via Simulation Decomposition: A “Must-Have” Inclusion for Many Disciplines

Mariia Kozlova, Julian Scott Yeomans


Colouring the output histogram can give sensitivity insights ...



... without computing sensitivity indices



... without computing sensitivity indices



→ The possibility of very low returns (dark blue) corresponds to loose investment and pessimistic prices

What is done here? We have two variables / options:

- Investment= 'tight' or 'loose'
- Price='pessimistic', 'realistic' or 'optimistic'

Combining the 2 levels of investment with the three levels of price gives $2 \times 3 = 6$ 'scenarios'



[Shop By Subject](#)

[New & Bestselling](#)

[Instructors & Students](#)


[Professional Practice](#)

[Publish With Us](#)

[Sale & Offers](#)

Buy 2 or more • **SAVE 25%** on all Books & eBooks • [Shop Now »](#)

Sale ends in: 2d 02h 33m 51s



[Table of Contents](#)

[Book Description](#)

[Critics' Reviews](#)

1st Edition

Sensitivity Analysis for Business, Technology, and Policymaking

Made Easy with Simulation Decomposition (SimDec)

Edited By Mariia Kozlova, Julian Scott Yeomans

Copyright 2025

Hardback
£135.00

The End